INDEX TO VOLUME 16 OF THE JOURNAL OF THE FISHERIES RESEARCH BOARD OF CANADA

A

Acids, amino
1: 21 (production of odours from, by bacteria)
5: 685 (in condensed herring solubles)
5: 747 (chemistry of, in cod flesh)
Acids, fatty
1: 43 (of lipid hydrolysis in frozen fish flesh)
5: 755 (of lipid hydrolysis in lingcod fillets)
Acids, nucleic
1: 53 (in cod tropomyosin preparations)
4: 421 (in sockeye salmon during spawning migration)
Actin (*see also* Actomyosin)
2: 243 (isolation from cod muscle)
Activity, of fish
2: 175 ("scope" for, related to environmental conditions)
Actomyosin (*see also* Tropomyosin)
1: 33 (in chemical structure of fish muscle)
1: 43 (in relation to lipid hydrolysis in frozen fish muscle)
2: 243 (from cod muscle)
Age
1: 91 (3-year-old pink salmon)
1: 107 (L. Winnipeg whitefish)
Alaska
1: 95 (salmon mortality experiments)
5: 721 (growth of chinook salmon)
Alderdice, Donald Francis
3: 386 (correction)
Amines (mono-, di-, tri-methylamine) (*see* Trimethylamine)
Amino acids (*see* Acids, amino)
Anas, Raymond Edward
1: 91 (3-year-old pink salmon)
Analysis, chemical (*see also* Limnology, Oceanography)
1: 7 (elements in Atlantic coastal water)
1: 63 (for fat, water-solubles and proteinaceous extractives in fish muscle)
2: 235 (of sockeye salmon during spawning migration)
4: 421 (of sockeye salmon during spawning migration)
4: 559 (of sockeye salmon during spawning migration)
5: 679 (proximate, of Pacific herring)
5: 685 (of condensed solubles)
Androgen
4: 559 (assays for, in sockeye salmon testes)
Antibiotic (*see also* Preservative; Quality)
1: 1 (CTC for freshwater fish in tropics)
1: 13 (CTC, OTC, etc. for cod, haddock fillets)
6: 791 (CTC for dogfish flesh)
Arctic Ocean (*see also* Oceanography, Arctic)
4: 403 (Station list)
4: 453 (chemical, physical, zooplankton cycle at Igloolik, N.W.T.)
Arrow-worms (*see* Chaetognatha)
Arsenic
1: 7 (in Atlantic coastal sea water)
Ash content
5: 679 (seasonal variation in Pacific herring)
Astaxanthin (*see* Pigment)
Atlantic Ocean (*see* Oceanography, Atlantic)
Aureomycin (CTC, chlortetracycline) (*see* Antibiotic; Quality)

B

Bacteriology (*see also* Preservative; Quality; Test, freshness)
1: 13, 21 (odour production by *Pseudomonas* and other genera on fish fillets)
6: 791 (bacteria counts on stored dogfish)
Baker, Edgar George
6: 791 (keeping quality of dogfish flesh)
Barbus carnaticus (India)
1: 1 (preservation with CTC antibiotic)
Barbus dubius (India)
1: 1 (preservation with CTC antibiotic)
Barkley Sound, B.C.
3: 283, 309 (herring distribution in)
Barraclough, William Edward
5: 759 (first British Columbia record of *Plectobranchus evides*)
Bass, rock (*Ambloplites rupestris*)
2: 147 (occurrence and associates in Ontario)
Bass, smallmouth (*Micropterus dolomieui*)
2: 147 (occurrence and associates in Ontario)

Basu, Satyendra Prasanna
2: 175 (oxygen and carbon dioxide in active respiration of fish)
Behaviour
3: 269 (of trout and shiners in Paul L.)
Bennett, Edward Bertram
5: 565 (oceanographic features of NE Pacific)
Berg, Lev Semënovich
4: 515 (vernal and hiemal races)
6: 930 (correction of translator's preface)
Bhatia, Darshan Singh
1: 1 (antibiotic for holding freshwater fish products in tropics)
Bibliography
3: 363 (of medaka, *Oryzias latipes*)
Bilinski, Edward
5: 747 (salt effect on proteolysis of cod muscle)
Biochemistry
2: 235 (of sockeye salmon during spawning migration)
4: 421, 559 (of sockeye salmon during spawning migration)
Bishop, Yvonne Millicent Mahala
1: 73 (errors in fish mortality estimates)
Bitners, Igor Imants
2: 235 (biochemistry of sockeye salmon during spawning migration)
6: 930 (correction)
Black, Edgar Clark
1: 95 (fatigue in troll-caught salmon)
4: 391 (changes in blood of trout following exercise)
4: 429 (fatigue and mortality in troll-caught salmon)
6: 929 (correction)
Bligh, Emerson Graham
4: 449 (atypical pigmentation of cod and haddock flesh)
Blood, of fish
4: 391 (effects of exercise in trout)
Borate
1: 7 (in Atlantic coastal sea water)
Bras d'Or Lakes, N. S.
1: 7 (composition of sea water)
Brett, John Roland
3: 386 (correction)
Briggs, John Carmon
3: 363 (bibliography of the medaka)
British Columbia
3: 383 (records of rare marine fishes)
6: 903 (subspecies of cutthroat trout)
Bullhead, brown (*Ameiurus nebulosus*)
2: 175 (respiration)
Butler, Terrance Henry
5: 761 (record of *Emerita analoga* from British Columbia)

C

Calanus finmarchicus and other copepods
4: 453 (life histories at Igloolik)
"Calanus" series
4: 403 (No. 19—Station list)
4: 453 (No. 20—Oceanography at Igloolik)
6: 930 (No. 19—correction)
Calcium
1: 7 (in Atlantic coastal sea water)
Callichrous bimaculatus ("Godle") (India)
1: 1 (preservation with CTC antibiotic)
Canagaratnam, Pascarapathy
1: 121 (growth of fish in different salinities)
Carbonate
4: 391 (changes in trout after exercise)
Carbon dioxide concentration
2: 175 (effect on fish respiration)
Carp (*Cyprinus carpio*)
2: 175 (respiration)
4: 515 (seasonal occurrence in the Volga delta)
Castell, Charles Howell
1: 13, 21 (odours from action of *Pseudomonas* on fish muscle)
2: 223 (seasonal variation in landed quality of cod and haddock)
4: 539 (factors affecting use of nitrite preservative for fish flesh)
Catch (*see* Landings)
Catch per unit effort
1: 107 (L. Winnipeg whitefish)
1: 131 (L. Winnipeg winter fishery)
Chaetognatha
3: 351 (distribution in Gulf of Alaska)
6: 795 (*Sagitta lyra*)
Chatwin, Bruce McLeod
3: 386 (correction)
Chilliwack River, B.C.
5: 721 (growth of steelhead)
Chiu, Wing-Gay
4: 391 (changes in blood of trout following exercise)
Chlorinity (*see* Oceanography; Salinity)
Chlortetracycline (CTC) (*see* Antibiotic; Quality)

Cholesterol
2: 235 (changes in sockeye salmon during spawning migration)
Clark, John Russell
6: 929 (scale–otolith paper—correction)
Cobalt
1: 7 (in Atlantic coastal sea water)
Cod, Atlantic (*Gadus callarias*) (biology)
2: 213 (nematodes in fillets)
4: 449 (red flesh in)
Cod, Atlantic (technology)
1: 13, 21 (odours caused by *Pseudomonas* and other bacteria on flesh)
1: 33 (chemical structure of muscle protein)
1: 43 (lipid hydrolysis in frozen fillets)
1: 53 (isolation of tropomyosin from muscle protein)
1: 63 (analysis for extractives in muscle)
2: 223 (quality of catch in different seasons)
2: 243 (isolation of actin from muscle)
4: 449 (atypical flesh pigmentation)
4: 539 (nitrite treatment of fillets)
5: 747 (chemistry of amino acids in flesh)
Colour (*see* Pigment)
Composition, chemical (*see* Analysis; Oceanography; Protein; etc.)
Conductivity bridge
3: 381 (description of portable)
6: 930 (correction of specifications)
Copper
1: 7 (in Atlantic coastal sea water)
Corrections
3: 385
6: 929
Crawford Lake, B.C.
6: 897 ("residual" sockeye)
Creelman, Vera Marie
4: 421 (nucleic acids of sockeye salmon during spawning migration)
6: 930 (correction)
Crossman, Edwin John
3: 247 (movements of trout and redside shiner)
3: 269 (a predator-prey interaction)
Crustacea
5: 761 (*Emerita* in British Columbia)
CTC (chlortetracycline) (*see* Antibiotic; Quality)
Cultus Lake, B. C.
6: 897 (source of kokanee)
Cunner (*Tautogolabrus adspersus*)
4: 503 (record specimen)
Currents, marine
3: 283 (surface, in Barkley Sound)
5: 605 (in NE Pacific during August 1955)
5: 635 (measurement of, in Knight Inlet, B.C.)

D

Dale, Jacqueline
1: 13 (odours from action of *Pseudomonas* on fish muscle)
2: 223 (seasonal variation in landed quality of cod and haddock)
Dambergs, Nikolajs
1: 63 (extraction of fat and water-solubles from fish muscle)
Day, Lewis Rodman
4: 503 (records of unusual Canadian Atlantic fishes)
6: 930 (correction)
Density, of water (*see also* Limnology; Oceanography)
5: 594 (structure in NE Pacific Ocean during August 1955)
Deoxyribonucleic acid (*see* Acids, nucleic)
Depth, of lakes
6: 923 (maximum and average)
Diets, artificial
3: 321 (effect on physiology of trout)
Dingle, John Reginald
1: 53 (isolation of tropomyosin from cod muscle)
2: 243 (isolation of actin from cod muscle)
Distribution
2: 147 (Ontario stream fishes and invertebrates)
3: 283 (of juvenile herring, effects of environment)
3: 351 (Chaetognatha in Gulf of Alaska)
3: 383 (Pacific fishes)
4: 503 (marine and freshwater fishes from eastern Canada)
6: 807 (Miramichi fishes)
6: 838 (Hooknose Cr., B.C.)
6: 903 (cutthroat trout in British Columbia)
6: 930 (Atlantic fishes—correction)
Dogfish, Pacific (*Squalus suckleyi*) (technology)
6: 791 (keeping quality of flesh)

Dyer, William John
1: 43 (lipid hydrolysis in fish muscle)
4: 449 (atypical pigmentation of cod and haddock flesh)

E

Egami, Nobuo
3: 363 (bibliography of medaka—*Oryzias*)
Ehrenberg, Andrew Samuel Christopher
4: 555 (trimethylamine test in grading fish quality)
Ellerslie, P.E.I.
6: 887 (trout production)
Ellis, Douglas Graham
1: 33 (chemistry of fish muscle protein)
Emerita analoga
5: 761 (first British Columbia record)
Enzyme
1: 43 (in lipid hydrolysis in frozen fish flesh)
4: 561 (treatment of stickwater)
5: 685 (in production of condensed solubles)
5: 747 (in proteolysis of cod muscle)
5: 755 (lipase activity in lingcod flesh)
6: 791 (urease in dogfish flesh)
Errors
1: 73 (in mortality estimates)
Escapements
6: 835 (pink and chum salmon, Hooknose Ck.)
Estuaries (*see* Inlets)
Exercise
3: 321 (effects on hatchery trout)
4: 391 (effect on young trout)
Extractives (*see also* Solubles, condensed)
1: 63 (analysis for, in cod muscle)

F

Fat (*see also* Lipid)
1: 63 (analysis for, in extractives from cod muscle)
2: 235 (amounts in sockeye salmon during spawning migration)
5: 679 (seasonal variation in content, Pacific herring)
5: 755 (lipase activity in lingcod flesh)
Fatigue
1: 95 (in troll-caught salmon)
3: 321 (resistance to, in trout)
4: 429 (in troll-caught salmon)
Fatty acids (*see* Acids, fatty)
Faunas (*see* Distribution)
Fecundity
6: 853 (pink and chum salmon)
Fertilizers
6: 887 (used on P.E.I. farms)
Fillets
1: 1 (preservation with CTC antibiotic in tropics)
1: 13, 21 (cod, haddock; odours caused by *Pseudomonas* and other bacteria)
1: 33, 43, 53, 63 (chemical structure of protein)
1: 63 (analysis for extractives in cod)
2: 223 (cod, seasonal analysis for TMA)
5: 747 (proteolysis in cod)
5: 755 (lipase activity in lingcod)
Fiords (*see* Inlets)
Fisher, Harold Dean
6: 929 (corrections for Cetacea paper)
Fisheries
1: 107, 131 (Lake Winnipeg)
Fishes (*see also* Distribution)
4: 503 (distribution in Atlantic)
6: 807 (Miramichi R. and estuary)
6: 838 (Hooknose Creek, B. C.)
Fishing methods
1: 95 (effects of trolling on salmon)
1: 131 (setting gill nets under ice)
Flavour (*see* Quality; Test, freshness)
Flesh (*see also* Amino acids; Analysis; Protein; Quality)
4: 449 (abnormal pigmentation of cod and haddock)
Flounder, fourspot (*Paralichthys oblongus*)
4: 503 (first Canadian record)
Flow, volume of
6: 835 (in relation to salmon migration)
Fluorine
1: 7 (in Atlantic coastal sea water)
Food
3: 269 (of trout in Paul L.)
3: 321 (of hatchery trout)
Food supply
3: 283 (of herring in Barkley Sound)
Forbes, Francis Duncan
4: 391 (changes in blood of trout following exercise)
Fougère, Henri
5: 747 (salt effect on proteolysis of cod muscle)
Foxe Basin
4: 453 (oceanography at Igloolik)
Fraser, Doris Isabel
1: 43 (lipid hydrolysis in fish muscle)

Fraser River, B.C.
2: 235 (biochemistry of sockeye salmon during spawning migration)
4: 421, 559 (biochemistry of sockeye salmon during spawning migration)
Freshness (*see* Quality; Test, freshness)
Fry migration
6: 857 (salmon in Hooknose Creek, B.C.)

G

Gelatin
4: 561 (in herring solubles)
5: 685 (in herring, etc. solubles)
Gill nets
1: 131 (method of setting under ice)
1: 143 (cotton and nylon, L. Winnipeg)
3: 339 (mesh selection, herring)
Glycogen
3: 321 (reserves in hatchery trout)
Godfrey, Harold
3: 329 (average weights of pink salmon)
4: 553 (average weights of chum salmon)
Goldfish (*Carassius auratus*)
1: 121 (growth at different salinities)
2: 175 (respiration)
Grainger, Edward Henry
4: 403 (station list of Arctic investigations, 1955–58)
4: 453 (annual oceanographic cycle at Igloolik, N.W.T.)
6: 930 (correction)
Greenough, Maxine Frances
1: 13, 21 (odours from action of *Pseudomonas* on fish muscle)
2: 223 (seasonal variation in landed quality of cod and haddock)
4: 539 (factors affecting use of nitrite preservative for fish flesh)
Growth
1: 121 (of fish, related to salinity)
3: 269 (rainbow trout in Paul L.)
5: 721 (calculation of, in fishes)
Gulf of Alaska
3: 351 (Chaetognatha in)
3: 383 (fishes taken in)
6: 795 (*Sagitta lyra* distribution)
Gulf of St. Lawrence
2: 213 (nematodes in cod fillets)

H

Haddock (*Melanogrammus aeglifinus*) (biology)
3: 386 (correction)
4: 449 (red flesh in)
6: 929 (correction)
Haddock (technology)
1: 13, 21 (odours caused by *Pseudomonas* and other bacteria on flesh)
4: 449 (atypical flesh pigmentation)
4: 539 (nitrite treatment of fillets)
Halfbeak (*Hyporhamphus unifasciatus*)
4: 503 (first Canadian record)
Halibut, Atlantic (*Hippoglossus hippoglossus*) (technology)
1: 43 (lipid hydrolysis in frozen fillets)
Hallam, Jack Charles
2: 147 (habitat of 4 species of Ontario stream fish)
Halocline (*see* Density; Salinity)
Hanslip, Arthur
4: 391 (changes in blood of trout following exercise)
Hartman, Gordon Frederick
5: 695 (homing of rainbow trout)
Herring, Atlantic (*Clupea harengus*)
3: 339 (size selection by gill nets)
3: 386 (correction)
Herring, Pacific (*Clupea pallasi*) (biology)
3: 283 (distribution of juvenile)
3: 309 (juvenile and adult populations)
Herring, Pacific (technology)
4: 561 (solubles, viscosity of)
5: 679 (seasonal proximate analyses)
5: 685 (stickwater and condensed solubles)
Hewson, Leo Clare
1: 107 (Lake Winnipeg whitefish fishery)
1: 131 (winter fishery on Lake Winnipeg)
Hochachka, Peter William
3: 321 (diet, glycogen and fatigue in trout)
Homing
5: 695 (trout in Loon L.)
Hooknose Creek, King Island, B.C.
6: 835 (production of pink and chum salmon)
Hourston, Alan Stewart
3: 283 (distribution of juvenile herring)
3: 309 (relationship of juvenile to adult herring population)
Hoy, Joe
3: 381 (portable conductivity bridge)
6: 930 (conductivity bridge—correction)

Hunter, John Gerald
4: 403 (station list of Arctic investigations)
6: 835 (production of pink and chum salmon)
6: 930 (correction)
Hyperactivity
6: 929 (in fish—correction)

I

Ice, Arctic
4: 457 (in region of Igloolik, N.W.T.)
Ice-jigger
1: 135 (for setting nets under ice)
Idler, David Richard
2: 235 (biochemistry of sockeye salmon during spawning migration)
4: 559 (testicular androgen of sockeye salmon during spawning migration)
4: 561 (enzyme action on viscosity of whale solubles)
5: 679 (seasonal variation in fat, etc. of Pacific herring)
6: 930, 931 (corrections)
Igloolik (Canadian Arctic)
4: 453 (oceanographic cycles near)
Indicator species
6: 795 (*Sagitta*)
Indole
5: 747 (production in proteolysis of cod muscle)
Inlets, fiords, estuaries (*see also* Oceanography)
5: 635 (currents in Knight Inlet, B.C.)
Insolation
4: 457 (in Arctic at Igloolik, N.W.T.)
Invertebrates, freshwater
2: 147 (of Ontario streams)
Iodine
1: 7 (in Atlantic coastal sea water)

J

John Dory (*Zenopsis ocellata*)
4: 503 (Canadian records and illustration)

K

Kennedy, William Alexander
4: 389 (obituary of R. B. Miller)
Knight Inlet, B. C.
5: 635 (marine currents measurement in)
Kohler, Allan Carl
3: 386 (correction)
6: 929 (scale–otolith paper—correction)
Kokanee (*Oncorhynchus nerka*)
6: 897 (origin of Cultus Lake specimens)
Kootenay Lake, B.C.
6: 897 (sources of kokanee eggs)

L

Lactic acid and lactate
1: 95 (in troll-caught salmon)
3: 321 (in fish blood, related to exercise)
4: 391 (changes in trout after exercise)
4: 429 (in troll-caught salmon)
Lakes
6: 923 (maximum and average depths)
Lamprey, river (*Lampetra fluviatilus*)
4: 515 (seasonal "races")
Landings
1: 107, 131 (L. Winnipeg fishes)
6: 807 (Miramichi Bay commercial fishes)
Langille, Winston Murray
1: 7 (composition of Atlantic coastal sea water)
6: 930 (correction)
Larkin, Peter Anthony
4: 429 (fatigue and mortality in troll-caught salmon)
5: 721 (concept of growth in fishes)
Larvae
6: 763 (redfish)
Lawler, George Herbert
6: 929 (correction)
LeBrasseur, Robin John
6: 795 (*Sagitta lyra* in the eastern Pacific)
Leim, Alexander Henry
4: 503 (unusual Canadian Atlantic fishes)
6: 930 (correction)
Leim, Alexander Henry, *et al.*
3: 386 (correction)
Life history
4: 453 (zooplankters at Igloolik)
Limnology, physical
1: 131 (L. Winnipeg, in winter)
6: 830 (Miramichi R. temperatures)
6: 835 (Hooknose Creek, B.C.)
6: 887 (dissolved phosphorous in Ellerslie Brook)
6: 923 (depth of lakes)
6: 929 (Heming L.—correction)
Lindsey, Casimir Charles
5: 695 (homing of rainbow trout)
Lingcod (*Ophiodon elongatus*)
3: 386 (correction)
5: 755 (lipase enzyme in flesh)
Lipase (*see* Acids, fatty; Enzyme; Fat)

Lipid (*see also* Acids, fatty; Cholesterol; Fat)
1: 43 (hydrolysis in frozen fish fillets)
1: 63 (analysis for, in extractives from cod muscle)
Lockeport, N.S.
2: 213 (nematodes in cod fillets)
Loon Lake, B.C.
5: 695 (homing of trout)

Mc and Mac

McBride, John Raymond
4: 561 (enzyme action on viscosity of whale solubles)
5: 679 (seasonal variation in fat, etc. of Pacific herring)
McKenzie, Russel Alderson
6: 807 (fishes of Miramichi R. and estuary)
MacLeod, Robert Angus
4: 561 (enzyme action on viscosity of whale solubles)
5: 679 (seasonal variation in fat, etc. of Pacific herring)
5: 685 (preparation and properties of condensed fish solubles)

M

Magnesium
1: 7 (in Atlantic coastal sea water)
Malpeque Bay, P.E.I.
1: 7 (composition of sea water)
Margolis, Leo
3: 385 (corrections)
Marking and tagging
3: 247 (trout and shiners in Paul L.)
3: 309 (herring, Barkley Sound)
5: 695 (trout, Loon L.)
Martin, William Robert
2: 213 (incidence of nematodes in Atlantic cod fillets)
Mayflies (Ephemeroptera)
2: 147 (in Ontario streams)
Medaka (*Oryzias latipes*)
3: 363 (bibliography)
Metabolism
2: 175 (in fish—active and resting)
Migration and movements
3: 247 (trout and shiners in Paul L.)
3: 283 (herring in Barkley Sound)
3: 309 ("homing" of herring)
Migration, spawning
2: 235 (of sockeye salmon, biochemical changes during)
4: 421, 559 (of sockeye salmon, biochemical changes during)
Miller, Richard Birnie
3: 321 (diet, glycogen and fatigue in trout)
3: 386 (correction)
4: 389 (obituary)
Mineral compounds
1: 7 (in Atlantic Ocean coastal waters)
Miramichi River and estuary, N.B.
6: 807 (list of fishes)
Molybdenum
1: 7 (in Atlantic coastal sea water)
Moorjani, Madhow Naraindas
1: 1 (antibiotic for holding freshwater fish products in tropics)
Morphology
6: 903 (of cutthroat trout)
Mortality
1: 95 (of troll-caught salmon)
4: 429 (of troll-caught salmon)
Mortality rate
1: 73 (errors in estimates of)
Moyer, Rudolph Henry
6: 791 (keeping quality of dogfish flesh)
Muscle (*see* Amino acids; Protein)
Myosin (*see* Actomyosin)

N

Neave, Ferris
3: 383 (fishes from waters off the British Columbia coast)
Nematoda
2: 213 (in cod fillets)
Neumann, Jehuda
6: 923 (maximum and mean depth of lakes)
Newfoundland
3: 339 (herring gill-net selection)
6: 763 (redfish larvae)
Nickel
1: 7 (in Atlantic coastal sea water)
Nitrite, preservative
1: 13 (for cod and haddock fillets)
4: 539 (factors affecting use with fillets)
Northcote, Thomas Gordon
5: 695 (homing of rainbow trout)

O

Obituary
4: 387 (R. B. Miller)
Ocean survival
6: 880 (pink and chum salmon)

Oceanography, Arctic
4: 453 (chemical, physical, zooplankton cycle at Igloolik, N.W.T.)
Oceanography, Atlantic
1: 7 (chemical composition, Atlantic coastal water)
6: 830 (Miramichi estuary)
6: 930 (correction)
Oceanography, Pacific
3: 283 (Barkley Sound, B.C.)
3: 351 (Gulf of Alaska)
5: 565 (August 1955 features of NE Pacific)
5: 635 (current measurement in Knight Inlet)
6: 795 (related to distribution of *Sagitta lyra*)
Odense, Paul Holger
1: 53 (isolation of tropomyosin from cod muscle)
Odour (*see also* Quality; Test, freshness)
1: 13, 21 (caused by *Pseudomonas* and other bacteria on fish muscle)
Olsen, Steinar Johannes
3: 339 (mesh selection in herring gill nets)
6: 930 (correction)
Ontario
2: 147 (stream fish and invertebrates)
Ophicephalus ("Korva" and "Avalu") (India)
1: 1 (preservation of fillets with CTC antibiotic)
Organoleptic tests (*see* Quality; Test, freshness)
Organs
4: 421 (analyses of sockeye salmon)
4: 559 (analyses of sockeye salmon testes)
5: 679 (seasonal weights of Pacific herring gonads)
OTC (Oxytetracycline) (*see* Antibiotic; Quality)
Oxygen capacity
2: 175 (of blood of fish)
Oxygen concentration
2: 175 (effect on fish respiration)
Oxygen, dissolved (*see also* Limnology; Oceanography)
4: 463 (in Arctic sea water)
Oxytetracycline (OTC) (*see* Antibiotic; Quality)
Oysters
6: 887 (effect of farmland drainage on production)

P

Pacific Ocean (*see also* Oceanography, Pacific)
6: 795 (distribution of *Sagitta lyra*)
Parasites (of whales)
3: 385 (correction)
Parker, Robert Ray
1: 95 (fatigue in troll-caught salmon)
4: 429 (fatigue and mortality in troll-caught salmon)
5: 721 (concept of growth in fishes)
pH (*see also* Limnology; Oceanography)
1: 13, 21 (action on production of odours by fish-spoiling bacteria)
4: 391 (changes in trout after exercise)
Phosphate
1: 7 (in Atlantic coastal sea water)
4: 463 (in Arctic sea water near Igloolik, N.W.T.)
Phosphorus
4: 421 (in nucleic acids of migrating sockeye salmon)
6: 887 (in drainage waters)
Physics, of ocean water (*see also* Oceanography)
5: 565 (in NE Pacific during August 1955)
Pickard, George Lawson
5: 635 (current measurement in Knight Inlet, B.C.)
Pigment
4: 449 (atypical, in cod and haddock flesh)
Pike, Gordon Chesley
3: 385 (correction)
Pinnipedia
3: 385 (correction)
Plaice, American (*Hippoglossoides platessoides*) (technology)
1: 43 (lipid hydrolysis in frozen fillets)
Plectobranchus evides
5: 759 (first British Columbia record; illustration)
Population estimates
5: 695 (trout, Loon L.)
Population statistics
6: 931 (corrections for Handbook)
Potassium
1: 7 (in Atlantic coastal sea water)
Predation
3: 247, 269 (of trout on shiners)
6: 867 (of sculpins and cohoes on salmon fry)
Preservative (*see also* Quality)
1: 1 (CTC for fish and fillets in tropics)

1: 13 (antibiotics and nitrite, for cod and haddock fillets)
4: 539 (nitrite for cod and haddock fillets)
5: 685 (for stickwater and solubles)
6: 791 (CTC for dogfish flesh)
Prickleback, two-spotted (*Plectobranchus evides*)
5: 759 (first British Columbia record)
Protein (*see also* Actin; Actomyosin; Acids, amino; Tropomyosin)
1: 21 (odour production by action of *Pseudomonas* and other bacteria)
1: 33, 53 (chemical structure of cod-muscle)
1: 43 (lipid hydrolysis in frozen fish)
1: 63 (analysis for extractive from cod muscle)
2: 235 (amounts in sockeye salmon during spawning migration)
5: 679 (seasonal variation in amount, Pacific herring)
5: 747 (proteolysis to amino acids, etc. in cod)
Pseudomonas
1: 13, 21 (*fragi* et spp., producing odours in fish muscle)

Q

Qadri, Sami Ullah
6: 903 (subspecies of cutthoat trout)
Quality (*see also* Test, freshness)
1: 1 (CTC-treated freshwater fish in tropics)
1: 13 (cod and haddock fillets)
1: 21 (cod flesh)
1: 43 (lipid hydrolysis in flesh)
2: 223 (variation in cod landed seasonally)
4: 555 (trimethylamine test for)
5: 747 (cod fillets)
5: 755 (lingcod fillets)
6: 791 (dogfish flesh)

R

Races, of fish
4: 515 (vernal and hiemal)
Redfish (*Sebastes marinus*) (biology)
4: 503 (record specimen)
6: 763 (pigmentation of larvae)
Redfish (technology)
1: 43 (lipid hydrolysis in frozen fillets)
Refrigeration
1: 43 (effect on lipid hydrolysis in fish flesh)
5: 755 (effect on lipase activity in lingcod fillets)
6: 791 (dogfish in chilled sea water)
Respiration
2: 175 (related to O_2, CO_2 and temperature, in fishes)
3: 321 (of trout after exercise)
Ribonucleic acid (*see* Acids, nucleic)
Ricker, William Edwin
4: 515 (translation of L. S. Berg paper)
6: 897 (kokanee and residual sockeye)
6: 930 (correction for preface of translation)
6: 931 (corrections for Bulletin No. 119)
Rigor
1: 33 (in relation to chemical structure protein)
Rodgers, George Keith
5: 635 (current measurement in Knight Inlet, B.C.)

S

Sagitta (*see* Chaetognatha)
Salinity (*see also* Oceanography)
1: 121 (growth of fish related to)
4: 462 (of Arctic water in relation to ice formation)
5: 584 (of NE Pacific during August 1955)
Salmon, Atlantic (*Salmo salar*)
4: 515 (seasonal "races" in Europe)
Salmon, chinook (*Oncorhynchus tshawytscha*)
1: 95 (fatigue and mortality)
1: 121 (size in New Zealand)
4: 429 (fatigue and mortality in troll-caught)
4: 515 (marking experiments of Rich and Holmes)
5: 721 (growth computation)
Salmon, chum (*Oncorhynchus keta*)
1: 121 (growth at different salinities)
4: 515 (summer and autumn runs on the Amur)
4: 553 (average weight in British Columbia catches)
6: 835 (survival and production)
Salmon, coho (*Oncorhynchus kisutch*)
1: 121 (growth at different salinities)
4: 429 (fatigue and mortality in troll-caught)
6: 869 (consumption of salmon fry by)
Salmon eggs
3: 385, 386 (corrections)
6: 835 (number in pinks and chums)

Salmon, Pacific (biology)
6: 800 (oceanic distribution, related to *Sagitta*)
Salmon, pink (*Oncorhynchus gorbuscha*)
1: 91 (3-year-old)
3: 329 (variation in average weight in British Columbia)
6: 835 (survival and production)
Salmon, sockeye (*Oncorhynchus nerka*) (biology)
1: 121 (growth at different salinities)
2: 235 (biochemical changes during spawning migration)
4: 421 (biochemical changes in organs during spawning migration)
4: 559 (biochemical changes in testes during spawning migration)
6: 897 ("residual" type)
6: 930 (analysis—correction)
6: 930, 931 (corrections)
Sandeman, Edward John
6: 763 (caudal pigmentation of redfish larvae)
Sauger (*Stizostedion canadense*)
1: 131 (L. Winnipeg catches, C/E, and size)
Scales
6: 903 (number on cutthroat trout)
Scope for activity
2: 175 (in fish)
Scott, David Maxwell
2: 213 (incidence of nematodes in cod fillets)
Sculpin (*Cottus bairdi*)
2: 147 (occurrence and associates in Ontario)
Sculpin, prickly (*Cottus asper*)
6: 867 (consumption of salmon fry)
Sea robin, striped (*Prionotus evolvans*)
4: 503 (first Canadian record)
Seal, grey (*Halichoerus grypus*)
3: 385 (correction)
Seal, harbour (*Phoca vitulina*)
2: 213 (in relation to cod nematodes)
Seal, harp (*Phoca groenlandica*)
2: 213 (in relation to cod nematodes)
Selection
6: 930 (of herring by gill nets—correction)
Sergeant, David Ernest
6: 929 (corrections for Cetacea paper)
Shewan, James Mackay
4: 555 (trimethylamine test in grading fish quality)
Shiner, redside (*Leuciscus balteatus*)
3: 247 (movements in Paul L.)
Silicon
1: 7 (in Atlantic coastal sea water)
Sinclair, Alexander Campbell
3: 321 (diet, glycogen and fatigue in trout)
Size
1: 107, 131 (L. Winnipeg fishes)
3: 329 (average weight of pink salmon)
4: 553 (average weight of chum salmon)
Skeena River, B.C.
1: 91 (3-year-old pink salmon)
Smith, Donald Gilbert
1: 7 (composition of Atlantic coastal sea water)
6: 930 (correction)
Smith, Morden Whitney
6: 887 (phosphorus enrichment from farm lands)
Sodium
1: 7 (in Atlantic coastal sea water)
Solubles, condensed
4: 561 (herring and whale, viscosity and enzyme treatment of)
5: 685 (production and properties, herring, etc.)
Southcott, Burnett Anne
6: 791 (keeping quality of dogfish flesh)
Spawning
6: 835 (of salmon in Hooknose Creek)
Spawning grounds
3: 283 (herring in Barkley Sound)
Spawning migration (*see* Migration, spawning)
Spoilage (*see* Test, freshness; Quality)
Squaretail (*Tetragonurus cuvieri*)
3: 383 (first Canadian record)
Station list
4: 403 (1955–58 Arctic investigations)
6: 930 (Arctic investigations—correction)
Statistics, catch (*see* Landings)
Stickwater (*see* Solubles, condensed)
Streams
2: 147 (fish and invertebrates in Ontario)
Structure, ocean water (*see also* Oceanography)
5: 567 (of NE Pacific during August 1955)
Sturgeon, shortnose (*Acipenser brevirostrum*)
4: 503 (first Canadian record)
Sturgeons (*Acipenser* spp.)
4: 515 (seasonal "races" among European species)

Subarctic waters
6: 795 (*Sagitta* in Pacific)
Subrahmanyan, Vaidyanatha Iyer
1: 1 (antibiotic for holding freshwater fish products in tropics)
Sucker, common (*Catostomus commersoni*)
2: 175 (respiration)
Sulphate
1: 7 (in Atlantic coastal sea water)
Sund, Paul Nathan
3: 351 (distribution of Chaetognatha in Gulf of Alaska)
Survival rate
6: 835 (of eggs and fry and in relation to density)
Systematics
6: 763 (*Sebastes m. marinus* and *S. marinus mentella*)
6: 903 (*Salmo c. clarki* and *S. c. lewisi*)

T

Tagging (*see* Marking)
Tarr, Hugh Lewis Aubrey
6: 791 (keeping quality of dogfish flesh)
Taste (*see* Quality; Test, freshness)
Temperature (*see also* Limnology; Oceanography)
1: 43 (effect on lipase activity)
1: 107 (of L. Winnipeg, in relation to whitefish catches)
4: 459 (of Arctic climate and sea water)
5: 569 (of NE Pacific Ocean during August 1955)
5: 755 (effect on lipase activity)
Templeman, Wilfred
6: 763 (caudal pigmentation of redfish larvae)
Terramycin (OTC, oxytetracycline) (*see* Antibiotic; Quality)
Test, freshness (*see also* Quality)
1: 1 (organoleptic; total volatile base; volatile reducing substances)
1: 13, 21 (odour)
1: 43 (free fatty acids in frozen fillets)
2: 223 (trimethylamine in iced cod)
4: 555 (trimethylamine for grading quality)
5: 747 (trimethylamine for proteolysis)
6: 791 (trimethylamine, total volatile base)
Testes
4: 559 (androgen content of sockeye salmon)
Testosterone (*see* Androgen)
Thermocline (*see* Limnology; Oceanography; Temperature)
TMA (*see* Trimethylamine)
Tomlinson, Neil
4: 421 (nucleic acids of sockeye salmon during spawning migration)
6: 930 (correction)
Total volatile base (*see* Test, freshness)
Transport, of marine water masses
4: 605 (in NE Pacific during August 1955)
5: 672 (in Knight Inlet, B.C.)
Trimethylamine (TMA) and oxide
1: 13, 21 (in relation to bacterial production of odours)
1: 43 (in relation to lipid hydrolysis in flesh)
2: 223 (criterion of quality in cod landed seasonally)
4: 555 (comparisons of use of for grading quality)
5: 747 (relation to proteolysis)
Tropomyosin (*see also* Actomyosin)
1: 53 (isolation from cod muscle)
Trout, brook (*Salvelinus fontinalis*)
2: 147 (occurence and associates in Ontario)
2: 175 (respiration)
6: 887 (production increased by farmland drainage)
Trout, cutthroat (*Salmo clarki*)
6: 903 (differences between subspecies)
Trout, hatchery
3: 386 (correction)
Trout, rainbow (*Salmo gairdneri*)
3: 247 (movements in Paul L.)
3: 321 (diet, glycogen, fatigue)
4: 391 (effects of severe exercise)
5: 695 (homing in Loon L.)
Trout, steelhead (*Salmo gairdneri*)
4: 503 (in Prince Edward Island)
5: 721 (growth computation)
Tsuyuki, Hiroshi
4: 559 (testicular androgen of sockeye salmon during spawning migration)
6: 931 (correction)
Tuna, Pacific blufin (*Thunnus saliens*)
3: 383 (off British Columbia)

U

Urea
6: 791 (in dogfish flesh)

V

Vanadium
1: 7 (undetectable in Atlantic coastal water)
Vancouver Island, B.C.
5: 761 (discovery of *Emerita*)
Vernal and hiemal races
4: 515 (among anadromous fishes)
Vertebrae
6: 903 (number in cutthroat trout)
Virtual populations
1: 73 (mortality estimates from)
Viscosity
4: 561 (of whale and herring solubles)
5: 685 (of condensed herring etc. solubles)
Visweswariah, Krishnamurthy
1: 1 (antibiotic for holding freshwater fish products in tropics)
Vitamin B_{12}
5: 685 (in condensed solubles)

W

Walford line
5: 740 (chinook salmon)
Walleye (*Stizostedion vitreum*)
1: 131 (L. Winnipeg catches, C/E, and size)
Water, content in fish
2: 235 (changes in sockeye salmon during spawning migration)
5: 679 (seasonal variation, Pacific herring)
Watson, Nelson Herbert Frank
6: 929 (correction)
Weakfish (*Cynoscion regalis*)
4: 503 (first Canadian record)
Whale-lice (Cyamidae—Amphipoda)
3: 385 (correction)
Whales
3: 385 (correction)
Whales (technology)
4: 561 (viscosity and enzyme treatment of solubles)
Whitefish (*Coregonus clupeaformis*)
1: 107, 131 (L. Winnipeg fishery)
4: 503 (records from Maritime Provinces)
Wickett, William Percy
3: 385, 386 (corrections)
Winchester, Paul Maurice
1: 33 (chemistry of fish muscle protein)
Wind effects
4: 612 (on NE Pacific Ocean during August 1955)
5: 671 (on ship, etc. during current measurement)
Winnipeg, Lake
1: 107, 131 (fisheries)
1: 144 (winter temperatures, O_2, CO_2)
Wood, James Douglas
5: 755 (refrigeration effect on lipase in lingcod fillets)

Y

Young, Elrid Gordon
1: 7 (composition of Atlantic coastal sea water)
6: 930 (correction)

Z

Zeaxanthin (*see* Pigment)
Zinc
1: 7 (in Atlantic coastal sea water)
Zooplankton (*see also* Plankton)
3: 283 (in Barkley Sound, B.C.)
3: 351 (Chaetognatha)
4: 453 (in Arctic sea waters near Igloolik, N.W.T.)

16941

INDEX